

# CONTENTS

THE COREL KPT Collection filters . . . . .	1
ABOUT THE User Guide . . . . .	4
ABOUT COREL Corporation . . . . .	4
COREL Customer Support Services . . . . .	4
Online Support Services . . . . .	5
Telephone Support Services . . . . .	5
Mail and Fax Support Services . . . . .	6
WHAT IS COREL KPT Collection? . . . . .	7
INSTALLING COREL KPT Collection . . . . .	7
ACCESSING AND QUITTING FILTERS . . . . .	7
USING PANELS AND SLIDERS . . . . .	8
PREVIEWING FILTER EFFECTS . . . . .	8
CUSTOMIZING THE WORKSPACE . . . . .	9
STORING WORKSPACE AND PANEL SETTINGS . . . . .	9
WORKING WITH PRESETS . . . . .	10
WELCOME TO KPT REACTION . . . . .	12
SETTING THE DIRECTION . . . . .	12
SETTING THE REACTION SEED . . . . .	13
SETTING THE Apply Mode . . . . .	15
SETTING THE PATTERN Width . . . . .	18
SETTING THE Diffusion Speed . . . . .	19
USING THE PRESETS LIBRARY . . . . .	19

# 1

## WELCOME

### THE COREL KPT COLLECTION FILTERS

Welcome to Corel® KPT® Collection, the revolutionary KPT series of filters designed to help you create dazzling and unique effects.

Corel KPT Collection includes 24 extraordinary filters that produce dazzling and unique effects for print and the Web.

#### **KPT FiberOptix**

The KPT® FiberOptix™ filter lets you create realistic hair, fur, rain showers, and more. You can control the length, color, and tint of each fiber you create on a source image. Using a mask, you can create fibers in specific shapes; for example, you can create hair that grows as text.

#### **KPT Frax4D**

The KPT® Frax4D™ filter lets you create 3-D sculptures out of fractal space. You can wrap these sculptures with any environment map. You can also rotate sculptures and render them as images.

#### **KPT Blurrrrr**

The KPT® Blurrrrr™ filter lets you manipulate the pixels in a source image to soften, smooth, and blend its edges and colors.

#### **KPT Equalizer**

The KPT® Equalizer™ filter lets you use a variety of filters to add interesting effects to images by manipulating their frequencies; for example, you can sharpen or blur images.

#### **KPT FraxPlorer**

The KPT® FraxPlorer™ filter lets you create an infinite variety of fractal patterns. You can also customize fractals using various color, contrast, distortion, and zooming tools.

#### **KPT ShapeShifter**

The KPT® ShapeShifter™ filter lets you apply interesting effects to objects; for example, you can apply bevels, graphics and text layers, and dimensions. You can also use environment and bump maps to achieve reflections and surface texture. You can

create multiple objects at once; for example, by loading a mask with the shapes of each letter in a font set, you can turn the shapes into 3-D buttons for a Web site.

## **KPT Noize**

The KPT® Noize™ filter lets you explore a variety of mathematically generated noise patterns that can be used as textures, patterns, or noise maps. You can select a noise family, mutate it to explore its variations, and apply it to a source image.

## **KPT Gel**

The KPT® Gel™ filter lets you use paint tools to create 3-D images, text treatments, and objects such as buttons and borders. You can use lighting effects, tinting, and transparency to control the qualities of effects.

## **KPT Goo**

The KPT® Goo filter lets you create effects that simulate the look of gelatin finger-painted on a source image. You can smear, splatter, swirl, pinch, or bulge images to create unique results. You can also use animation controls to save effects as movies.

## **KPT LensFlare**

The KPT® LensFlare™ filter lets you apply interesting effects on a source image to simulate the photographic reflections created by a bright light shining on a camera lens. For example, you can create glows, halos, and streaks of light.

## **KPT Materializer**

The KPT® Materializer™ filter lets you create complex textures, stunning backgrounds, and dazzling text treatments on source images. You can import bump maps and scale, pan, and rotate them to achieve interesting effects. You can also use lighting controls to manipulate surface textures.

## **KPT Projector**

The KPT® Projector™ filter lets you use warping effects to create 2-D perspective distortions and 3-D transformations on source images. You can also create infinite planar tiling at any angle, and you can use anisotropic light filtering.

## **KPT Reaction**

The KPT® Reaction™ filter lets you use patterns and diffusion options to create realistic simulations of organic textures, such as the growth pattern of coral or the stripes on a zebra.

## **KPT Turbulence**

The KPT® Turbulence™ filter lets you create waves on a surface image. As the waves distort the image, they become animated and fluid. You can apply color blends to the waves. You can also take a snapshot of the waves that you can apply to a source image, or you can save the waves in motion as a movie.

## **KPT RadWarp**

The KPT® RadWarp™ filter lets you use a simulated camera effect called barrel distortion to warp the edges of images. You can also correct barrel distortion on images.

## **KPT Channel Surfer**

KPT® Channel Surfer™ lets you apply effects to individual channels in an image. You can blur or sharpen a channel, or adjust its contrast or value. You can adjust the amount and transparency of the effect, and control how the effect blends with the source image.

## **KPT Fluid**

KPT® Fluid™ lets you manipulate images by applying liquid-like transformations and distortions that simulate dragging a brush across a wet surface. You can control the effect by setting the thickness of the fluid as well as the brush size and velocity. You can use various preview techniques to fine tune the effect, and choose to save the fluid in motion as a movie.

## **KPT FraxFlame II**

KPT® FraxFlame II™ lets you explore and mutate an infinite variety of flame fractals. You can also customize fractals with various color, contrast, and distortion techniques.

## **KPT Gradient Lab**

KPT® Gradient Lab™ lets you create complex color blends with various levels of transparency. You can also customize gradients with interesting shapes, styles, and pixel distortions.

## **KPT Hyper Tiling**

KPT® Hyper Tiling™ lets you create and save intricate tiling effects by reducing the source image to create a tile. The tile is then repeated to create a hyper tiling effect. You can create different blends between the source image and the effect, and change the perceived distance from the effect. You can also change the depth, transparency, position, and size, of the effect, and rotate it through space.

## **KPT Ink Dropper**

KPT® Ink Dropper™ lets you create the effect of dropping colored liquid (ink) on glass, canvas, or into another liquid. You can also create your own background images. You can choose the color of the liquid, and change its intensity and transparency. You can also change the size of the individual drops, and the rate at which they disperse on the surface.

## **KPT Lightning**

KPT® Lightning™ lets you create powerful, customized lightning bolts. You can control every aspect of a lightning bolt, from setting its length and color, to determining its path

and how much it zags and wanders. The lightning effect can then be realistically integrated into your source image using one of several blend modes.

## **KTP Pyramid Paint**

KTP® Pyramid Paint™ uses the Lab color mode to let you transform source images into effects that resemble paintings, and perform various color and contrast adjustments to them.

## **KPT Scatter**

KPT® Scatter™ is a 2-D particle system that lets you scatter a range of particles over a source image. You can scatter large masses of particles over an effect, or create densely packed particles to emulate intricate effects such as paint strokes or mosaics. You can also create special effects based on the way particles interact with the properties of a source image.

## **About the User Guide**

The Corel KPT Collection User Guide assumes you are already familiar with basic Mac OS® and Windows® concepts — menus, dialog boxes, and mouse operations, such as clicking and dragging. If you need more information on these subjects, or about the Apple® Finder™ or the Windows desktop, refer to the Mac OS® User Manual or the Microsoft® Windows® User Guide, respectively.

## **User Guide Conventions**

The Corel KPT Collection User Guide is for both Mac OS and Windows platforms. By convention, Mac OS commands precede Windows commands in the text. For example, Command/Ctrl + I, is equivalent to the Mac OS Command + I and the Windows Ctrl + I, and indicates that you must hold down the Command or Ctrl key, and press I. The term “folder” refers to directories as well as folders. The Corel KPT Collection interface for Mac OS and Windows platforms is identical, unless otherwise specified.

## **About Corel Corporation**

Founded in 1985, Corel Corporation ([www.corel.com](http://www.corel.com)) is a leading technology company specializing in content creation tools, business process management and XML-enabled enterprise solutions. The company’s goal is to give consumers and enterprise customers the ability to create, exchange and instantly interact with visual content that is always relevant, accurate and available. With its headquarters in Ottawa, Canada, Corel’s common stock trades on the Nasdaq Stock Market under the symbol CORL and on the Toronto Stock Exchange under the symbol COR.

## **Corel Customer Support Services**

Corel Customer Support Services can provide you with prompt and accurate information about product features, specifications, pricing, availability, services and technical support.

## Online Support Services

For information about online support services, visit [www.corel.com](http://www.corel.com). Please note, some of the services are available only in English.

## Telephone Support Services

Web services	Description
Corel® Knowledge Base	Allows you to read, print and download documents that contain answers to many technical questions.
Newsgroups (peer-to-peer forums)	Allow you to exchange information, tips and techniques with other users of Corel products.
Downloads	Allow you to download product patches, updates and trial versions.

For detailed information regarding telephone support services, please visit [www.corel.com](http://www.corel.com).

Live telephone support services are available for all Corel products from warranty support (30 days) to fee-based Priority and Premium Services. OEM, “white box,” jewel case (CD only), trial, and Academic versions of Corel products are eligible for fee-based support services only.

## North America

For pricing, purchasing, or general inquiries about Corel products, you can call Customer Service toll-free at 1-800-772-6735.

To speak directly to a technician please dial 1-613-274-0500. The hours of operation are 8:30 a.m. to 7:30 p.m., Monday to Friday, Eastern Standard Time (EST).

## Outside North America

For pricing, purchasing, or general inquiries about Corel products, you can call Customer Service toll-free at 1-800-267-35127. If the country you are calling from is listed below, please call the corresponding number.

Please note that these numbers may change as we adapt our services to fit user needs. Check the international support numbers page at [www.corel.com](http://www.corel.com) for the most up to date contact details.

Contact Customer Service for pricing, purchasing, general inquiries, or replacement CDs. Contact Technical Support Services should you require technical assistance operating your Corel software.

Country	Customer Service	Technical Support
Argentina	0800 777 3203	57 1 523 1240
Australia	1 800 658 850	61 2 8844 4101
Austria	0192 89600	0192 89600
Belgium (Dutch)	0240 06733	0240 06733
Belgium (French)	0240 06777	0240 06777
Brazil	0800 14 1212	55 11 5696 5797
Chile	54 0800 777 320357	1 523 1240
China	10 800 610 2323	10 800 610 2673
Colombia	01 800 091 9370	57 1 523 1240
Czech Republic	0224 239645	0224 239645
Denmark	352 58008	352 58008
Finland	922 906040	922 906040
France	0170 706090	0170 706090
Germany	06922 2220288	06922 2220288
Hong Kong	800 964 514	800 964 515
Hungary	204 117089	204 117089
Indonesia	1 803 61 539	1 803 61 544
Ireland	0124 77724	0124 77724
Israel	44 1628 581601	44 1628 581601
Italy	0236 003600	0236 003600
Japan	81 3554 53274	81 3531 93013
Luxembourg	44 1628 581603	44 1628 581603
Malaysia	1 800 807 895	1 800 807 899
Mexico	1 800 1234 854	57 1 523 1240
Netherlands	0207 132700	0207 132700
New Zealand	0508 267 351	0800 908 592
Norway	229 71908	229 71908
Poland	071 3477279	071 3477279

Portugal	44 1628 581601	44 1628 581601
Singapore	800 6161 853	800 6161 854
South Africa	0860 223 388	0860 223388
South Korea	82 2 3444 5166	82 2 3444 5166
Spain	0914 141500	0914 141500
Sweden	0856 610555	0856 610555
Switzerland	0158 03280	0158 03280
(German)		

## Mail and Fax Support Services

You can send inquiries to Corel Support Services representatives by mail or fax.

Corel Support Services  
1600 Carling Avenue  
Ottawa, Ontario, Canada  
K1Z 8R7  
Fax: 1-613-761-9176

# 2

## GETTING STARTED

### WHAT IS COREL KPT COLLECTION?

Corel KPT Collection is an extraordinary collection of filters that produce dazzling and unique effects for print and the Web. Whether you are a professional designer, artist, Web author, or hobbyist, the Corel KPT Collection filters will help you take your work to a new creative level, and enhance your productivity.

In this section, you'll learn about

- installing Corel KPT Collection
- accessing and quitting Corel KPT Collection filters
- the workspace
- using panels and sliders
- previewing filter effects
- customizing the workspace
- storing workspace and panel settings
- working with presets

### INSTALLING COREL KPT COLLECTION

You can install Corel KPT Collection in host applications compatible with Mac OS and Windows.

#### TO INSTALL COREL KPT COLLECTION IN MAC OS

- 1 Insert the Corel KPT Collection CD into the computer's CD drive.
- 2 Browse to the **Corel KPT Collection** folder.
- 3 Double-click the **Corel KPT Collection installer** icon.
- 4 Follow the instructions on your screen.

#### TO INSTALL COREL KPT COLLECTION IN WINDOWS

- 1 Insert the **Corel KPT Collection** CD into the computer's CD drive.
- 2 Click **Install**.
- 3 Follow the instructions on your screen.

### ACCESSING AND QUITTING FILTERS

You can access a Corel KPT Collection filter from the host application. You can quit a Corel KPT Collection filter in two ways. You can quit a filter and apply the effect to the source image in the host application. You can also quit a filter without applying the effect to the source image in the host application.

#### TO ACCESS A FILTER

Do one of the following:



- In Adobe® Photoshop®, click **Filters ▶ Corel KPT Collection**, and click a filter.
- In Painter, click **Effects ▶ Corel KPT Collection**, and click a filter.
- In Corel PHOTO-PAINT, click **Effects ▶ Corel KPT Collection**, and click a filter.
- In Bryce®, click a flyout arrow in the **Pictures** dialog box in **Picture editor**, click **Corel KPT Collection**, and click a filter.

#### Note

---

If you want to access a Corel KPT Collection filter in Bryce for the first time, you must first click a flyout arrow in the **Pictures** dialog box, click **Select plug-ins folder**, choose the folder where Corel KPT Collection is installed, and click **Choose/OK**.

#### To quit a filter

Click one of the following buttons:

- **OK** — to quit a filter and apply the effect
- **Cancel** — to quit a filter without applying the effect

## Using panels and sliders

You can set the style in which panels display. You can also move sliders.

#### To set a panel display style

- 1 Click the filter name.
- 2 From the **Filter options** list box, choose one of the following styles:

- **Panel auto popup** — to automatically expand panels as you move the pointer over them
- **Panel manual popup** — to manually expand panels by clicking the **Cycler** button in the title bar
- **Panel solo mode** — to expand the current panel and automatically collapse those not in use

#### Note

---

In **Panel auto popup** mode, sliders expand to display a panel with additional controls you can use to adjust slider settings incrementally, and view previous slider settings (indicated by the location of the gray arrow).

---

In **Panel manual popup** mode, you can expand a panel by clicking the **Cycler** button in the right corner of its title bar.

---

In **Panel solo mode**, you can collapse an expanded panel by double-clicking its title bar.

#### To move a slider

- Drag the black slider arrow.

## Previewing filter effects

The **Preview** window lets you dynamically view the results of your work. You can apply a background to the **Preview** window. You can also move and size the **Preview** window.

### To apply a background to the Preview window

- Click the flyout arrow in the **Preview** window, and choose one of the following options from the **Preview options** list box:
  - **Preview against black** — to display an effect against a solid black background
  - **Preview against white** — to display an effect against a solid white background
  - **Preview against checkerboard** — to display an effect against a background of gray squares
  - **Preview against dark checkerboard** — to display an effect against a background of dark gray squares
  - **Preview against gradient** — to display an effect against a grayscale gradient background

Note

---

The effect only displays against the background while it is in the **Preview** window. The background is not applied to the source image in the host application, and does not impact the final render of the effect.

### To move the Preview window

- Drag the title bar.

### To size the Preview window

- 1 Click the flyout arrow in the **Preview** window.

- 2 From the **Preview options** list box, choose one of the following **Preview** window sizes:

- **Small preview**
- **Medium preview**
- **Large preview**

## Customizing the workspace

You can apply a fun icon style to the common workspace. If the KPT workspace is smaller than the resolution of your screen, you can also display or hide common workspace controls.

### To apply a fun icon style to the common workspace

- 1 Click the **KPT** logo.
- 2 Choose **Smileys!** from the **Global options** list box.

### To display or hide common workspace controls

- 1 Click the **KPT** logo.
- 2 Choose **Black out screen** from the **Global options** list box.

## Storing workspace and panel settings

Storing workspace settings lets you save different workspace layouts. For example, you can arrange all panels on one side of the workspace and enlarge the **Preview** window, and then save this layout for later use.

Storing panel settings lets you save and compare different versions of a filter effect.

The workspace and panel settings you save are retained from one session to another, so you can use them again and again. When you no longer need stored workspace and panel settings, you can clear them. You can also restore default workspace or panel settings.

### To STORE WORKSPACE SETTINGS

- Click a gray memory dot in the **Layout** panel.

Note

---

Empty memory dots display gray, full memory dots display green, and memory dots currently in use display yellow.

### To STORE PANEL SETTINGS

- Click a gray memory dot in the **Recall** panel.

### To USE STORED WORKSPACE OR PANEL SETTINGS

- Click a green memory dot in one of the following panels:
  - **Layout** — to use stored workspace settings
  - **Recall** — to use stored panel settings

### To CLEAR STORED WORKSPACE OR PANEL SETTINGS

- Hold down **Option/Alt**, and click the corresponding green memory dot in one of the following panels:

- **Layout** — to clear stored workspace settings
- **Recall** — to clear stored panel settings

### To RESTORE DEFAULT WORKSPACE OR PANEL SETTINGS

- Click the memory dot in the center of one of the following panels:
  - **Layout** — to restore default workspace settings
  - **Recall** — to restore default panel settings

## Working with PRESETS

Some Corel KPT Collection filters provide you with preset effects. You can load a preset effect. You can also save an effect you create as a preset. You can create multiple presets categories in which to organize the presets you store.

You can import and export presets.

### To load A PRESET

- 1 Click the **Presets** button.
- 2 Double-click a preset thumbnail in the **Presets library** panel.

If the preset is stored in a category, you must first choose the category from the middle-left tile of the **Presets library**

panel, then double-click a preset thumbnail.

**Note**

---

You can preview a preset by single-clicking a preset thumbnail. A larger version of the preset thumbnail displays in the upper-left tile of the **Presets library** panel.

**To save an effect as a preset**

- 1 Click the **Presets** button.
- 2 Choose a category from the middle-left tile of the **Presets library** panel.
- 3 Click **Add preset**.

A preset thumbnail displays in the **Presets library** panel.

**Note**

---

You can also delete a preset from a category by clicking a preset thumbnail, and clicking **Delete preset**.

**To create a presets category**

- 1 Click the **Presets** button.
- 2 Click the flyout arrow in the **Presets library** panel, and click **Create new category**.
- 3 A text box displays in the middle-left tile of the **Presets library** panel.
- 4 Type a name.
- 5 Press **Return/Enter**.

Each category can store up to 24 presets.

**To import a preset**

- 1 Click the **Presets** button.

- 2 Click **Import** in the **Presets library** panel.

If you want to import a preset to a specific category, you must first choose the category from the middle-left tile of the **Presets library** panel, and then click **Import**.

- 3 Choose the folder where the file is stored in the **From** dialog box.
- 4 Click the file.
- 5 Click **Open**.

The preset displays as a thumbnail in the **Presets library** panel.

**To export a preset**

- 1 Click the **Presets** button.
- 2 Choose a category from the middle-left tile of the **Presets library** panel.
- 3 Click a preset thumbnail.
- 4 Click **Export**.
- 5 In the **Save as** dialog box, type a filename in the **Save as** box.
- 6 In the **Where** box, choose the folder where you want to export the file.
- 7 Click **Save**.

# 3

## KPT REACTION

### WELCOME TO KPT REACTION

KPT Reaction creates organic textures—similar to the stripes on a zebra or the growth pattern of coral—based on a reaction-diffusion process.


You start by choosing a reaction seed, which initializes the reaction-diffusion process. KPT Reaction then builds a texture based on the apply mode, speed, and direction of the diffusion. The resulting pattern tiles seamlessly—lending it a multitude of uses in print media and on the Web.



*The Preview window.*

### SETTING THE DIRECTION

The direction control button sets the direction of the diffusion.



*The direction control button.*

The central circle on the button sets an even diffusion—with no directional bias.

The arrows around the outer rim of the button add a directional bias to the diffusion—either horizontal, vertical, or diagonal.

### To SET AN EVEN diffusion

- Click the central circle on the direction control button.

The circle is darkened when active.

### To SET A DIRECTIONAL diffusion

- Click an arrow on the direction control button.

The arrow is darkened to indicate the active direction.

## SETTING THE REACTION SEED

The reaction seed is the basis for the pattern created by KPT Reaction. There are eight seed options:

- Source Image
- Inverse Image
- Noise
- Dots
- Voronoi
- Image plus Noise
- Image plus Dots
- Image plus Voronoi

### To SET THE REACTION SEED


- 1 Click on the Reaction Seed bar to display the Reaction Seed menu.
- 2 Select an option from the menu.

A check indicates which type is enabled.

- **Source Image** generates a pattern based on the contours of the source image.

- **Inverse Image** generates an alternate pattern based on the contours of the source image.


Original Image



Pattern created with the Source Image seed




Pattern created with the Inverse Image seed




*When you use the Image seed, the reaction/diffusion process is initialized with the source image. Patterns form around features in the image—evolving and propagating where textures and gradients occur. The Inverse Image seed produces an alternate set of patterns.*

- **Noise** uses fine noise to initiate the reaction/diffusion process.




*The Noise seed produces a pattern with irregular stripes. The source image has no effect on the pattern.*

- **Dots** uses equally spaced dots to initiate the reaction/diffusion process.



*The Dots seed produces circular patterns with occasional connections. The source image has no effect on the pattern.*

- **Voronoi** uses a Voronoi pattern to initiate the reaction/diffusion process.



*The Voronoi seed produces reticulated patterns. The source image has no effect on the pattern.*

- **Image plus Noise** is a hybrid of the Image Source and Noise seeds.



*The Image plus Noise seed produces irregular stripes that evolve around the image features.*

- **Image plus Dots** is a hybrid of the Image Source and Dots seeds.



*The Image plus Dots seed produces circular patterns that evolve around the image features.*

- **Image plus Voronoi** is a hybrid of the Image Source and Voronoi seeds.




*The Image plus Voronoi seed produces reticulated patterns that evolve around the image features.*

## SETTING THE Apply Mode

The apply mode determines how the pattern created by the reaction/diffusion process is applied to the image. KPT Reaction provides eighteen apply modes.

### To SET the apply mode


- 1 Click on the Apply Mode bar to display the Apply Mode menu.
  - 2 Select an option from the menu.  
A check indicates which type is enabled.
- **Raw Grayscale** replaces the image with a grayscale pattern.




- **Raw Diffused** provides additional diffusion to the Raw Grayscale pattern.




- **Raw with Noise** replaces the image with a grayscale pattern that is mixed with monochromatic noise.



- **Raw Diffused with Noise** provides additional diffusion to the Raw with Noise pattern.



- **Raw Smudged** replaces the image with a grayscale pattern that is smudged with a directional bias.





- **Emboss** applies a grayscale pattern with a liquid metal effect—showing highlights and shadows—to the source image.



- **Emboss Screen** applies a pattern with a transparent metal effect—allowing the colors from the source image to tint the pattern.



- **Emboss Multiply** applies an embossed pattern that derives its color from the source image based on a “multiply” blend mode—creating a dark pattern.



- **Emboss Luminance** applies an embossed pattern that derives its color from the source image based on a “luminosity” blend mode.




- **Luminance** uses the red, green, and blue channels from source image to apply color behind a grayscale pattern.



- **Luminance with Noise** adds monochromatic noise to the Luminance apply model (described above).



- **Luminance Diffused with Noise** adds additional diffusion to the Luminance with Noise pattern.



- **Luminance Smudged** smudges the Luminance pattern with a directional bias.
- **Multiply** applies an grayscale pattern to the source image using a “multiply” blend mode.





**Multiply Diffused** diffuses the Multiply pattern described above.



- **Screen Diffused** diffuses the Screen pattern described above.




- Screen applies a white pattern to the source image using a “screen” blend mode.




## SETTING THE PATTERN Width

The Width slider controls the size of the pattern features created by the reaction-diffusion process.

Width=5



Width=32



*The lower the width setting, the more detailed the resulting pattern.*

#### **To SET THE width of the PATTERN FEATURES**

- Adjust the Width slider to the desired level.

Refer to “Using panels and sliders” on page 8 for more information about working with sliders.

## **SETTING THE Diffusion Speed**

The Diffusion slider controls the number of iterations the KPT Reaction performs during the reaction-diffusion process. The higher the diffusion setting, the longer the reaction-diffusion process takes to complete.

#### **To SET THE diffusion SPEED**

- Adjust the Diffusion slider to the desired level.

Refer to “Using panels and sliders” on page 8 for more information about working with sliders.

## **USING THE PRESETS LIBRARY**

KPT Reaction includes a library of preset reaction diffusions. You can also add reactions of your own creation to the library for future use.

Refer to “Working with presets” on page 10 for details about using the Presets Library.

# INDEX

## NUMERICS

3rd Party 4

## A

Apple 4

Apply mode, KPT Reaction 15

## B

backgrounds

applying to Preview window 9

## C

Contact 5

Corel 1, 3, 4

about Corel Corporation 4

Customer Support Services 4

KPT Channel Surfer 3

KPT Collection 1

KPT FiberOptix 1

KPT Fluid 3

KPT Frax4D 1

KPT FraxFlame II 3

KPT Gel 2

KPT Gradient Lab 3

KPT Hyper Tiling 3

KPT Ink Dropper 3

KPT Lightning 3

KPT Projector 2

KPT Pyramid Paint 4

KPT RadWarp 3

KPT Reaction 2

KPT Scatter 4

KPT ShapeShifter 1

KPT Turbulence 2

technical support 5

Corel KPT Collection 1, 4

## D

Diffusion speed, KPT Reaction 19

Direction, KPT Reaction 12

## E

effects

previewing 8

exporting

presets 11

## F

fax 6

filters 1, 2, 3, 4

accessing 7

installing 7

KPT Collection 1

KPT Goo 2

KPT Ink Dropper 3

KPT Scatter 4

quitting 7, 8

For 5

Founded 4

## G

getting started 7

## I

importing

presets 11

installing

filters 7

## K

KPT 3

KPT Channel Surfer 3

KPT Collection 7

accessing filters 7

installing 7

installing filters 7

KPT Blurrrr 1

KPT Equalizer 1

KPT Fluid 3

KPT Frax4D 1

KPT FraxFlame II 3

KPT FraxPlorer 1

KPT Goo 2

KPT Gradient Lab 3

KPT HyperTiling 3

- KPT Ink Dropper 3
- KPT LensFlare 2
- KPT Lightning 3
- KPT Materializer 2
- KPT Noize 2
- KPT Pyramid Paint 4
- KPT Scatter 4
- Preview window 8
- KPT FiberOptix 1
- KPT Fluid 3
- KPT FraxFlame II 3
- KPT Gradient Lab 3
- KPT Hyper Tiling 3
- KPT LensFlare 2
- KPT Lightning 3
- KPT Materializer 2
- KPT Projector 2
- KPT Pyramid Paint 4
- KPT RadWarp 3
- KPT Reaction 2
  - apply mode 15
  - diffusion speed 19
  - direction control 12
  - pattern width 18
  - presets 19
  - reaction seed 13
- KPT Turbulence 2
- KPTCollection user guide 4

## M

- Mac 4
- mail 6
- memory dots
  - workspace 9
- Microsoft 4
- moving
  - Preview window 8, 9
  - sliders 8

## P

- panel settings
  - clearing 10
  - restoring defaults 10
  - storing 9, 10

- using 10
- panels
  - restoring default settings 10
  - setting display styles 8
- Pattern width, KPT Reaction 18
- Presets
  - KPT Reaction 19
- presets
  - exporting 11
  - importing 11
  - loading 10
  - saving 11
- Preview window
  - applying backgrounds 9
  - moving 8, 9
  - sizing 8
- previewing
  - filter effects 8
- Previewing filter effects 8

## R

- Reaction seed, KPT Reaction 13
- restoring
  - default panel settings 10
  - default workspace settings 10

## S

- saving
  - panel settings 9
  - presets 11
  - workspace settings 9
- settings
  - storing 9
- sizing
  - Preview window 8
- sliders
  - moving 8
- storing
  - panel settings 9
  - workspace settings 9

## T

- tablets
  - KPT Gel 8

technical support 4, 5, 6

    online 5

    telephone 5

telephone 5

The 1, 2, 3, 4

## U

user guide 4

    conventions 4

## W

Windows 4

Working 10

workspace

    applying fun icons 9

    changing icons 9

    customizing 9

    displaying controls 9

    displaying fun icons 9

    hiding controls 9

    restoring default settings 10

    storing settings 9

workspace settings

    storing 10